Author Index

AARDEN, L.A. *see* VAN OERS, M.H.J.
AARON, S. T cell blast stimulation of MLR: role of interleukin 1 and interieukin 2, 171
ABUD-MENDOZA, C. *see* GONZALEZ-AMARO, R.
ADLER, W.H. *see* BENDER, B.S.
ALCOCER-VARELA, J. *see* GONZALES-AMARO
ALDERUCCIO, F. *see* FI-TJEN MU
ALVAREZ, R. *see* SUBIZA, J.L.
AMEISEN, J.C. *see* TSICOPOULOS, A.
AMLOT, P. *see* LORBER, M.
ANDERSSON, G. *see* RILEY, E.M.
ANTONEN, J. *see* RASANEN, L.
ARAKAWA, M. *see* NAKAMURA, T.

BACKIMER, R. *see* DANG, H.
BACON, P.A. *see* SALMON, M.
BAGOT, M., BERTAUX, B., HESLAN, M., COULOMB, B. & DUBERTRET, L. Reconstructed human epidermis: absence of Langerhans cells and failure to stimulate allogeneic lymphocytes *in vitro*, 138
BALLAN, D. *see* GRUBER, B.
BAN-HOCK TOH *see* FI-TJEN MU
BARANDA, L. *see* GONZALEZ-AMARO, R.
BARNARD, E.A. *see* WEETMAN, A.P.
BARNETT, A.H. *see* BATARSEH, H.
BARRETT, K. *see* BUCHAN, G.
BASSENDINE, M. *see* BIRD, P.
BASTEN, A. *see* BRITTON, W.J.
BATARSEH, H., THOMPSON, R.A., ODUGBESAN, O. & BARNETT, A.H. Insulin receptor antibodies in diabetes mellitus, 85
BAUM, H.P. *see* HOFFMAN, T.
BAZIN, H. *see* PELLETIER, L.
BENDER, B.S., WINCHURCH, R.A., THUPARI, J.N., PROUST, J.J., ADLER, W.H. & MUNSTER, A.M. Depressed natural killer cell function in thermally injured adults: successful *in vivo* and *in vitro* immunomodulation and the role of endotoxin, 120
BERNIER-VALENTIN, F. RABILLOUD, R., & ROUSSET, B. Evidence for anti-tubulin autoantibodies in the form of immune complexes in human sera, 261
BERTAUX, B. *see* BAGOT, M.
BIANCO, N. *see* CONTRERAS, C.E.
BIRD, P., CALVERT, J.E., MITCHISON, H., LING, N.R., BASSENDINE, M. & JAMES, O.F.W. Lymphocytes from patients with primary biliary cirrhosis spontaneously secrete high levels of IgG3 in culture, 475
BITTER-SUERMANN, D. *see* HOFFMAN, T.
BJERKE, K. & BRANDTZAEG, P. Lack of relation between expression of HLA-DR and secretory component (SC) in follicle-associated epithelium of human Peyer's patches, 502
BLOEMENA, E., VAN OERS, M.H.J., WEINREICH, S. & SCHELLEKENS, P.TH.A. Cyclosporin A and prednisolone do not inhibit the expression of high-affinity receptors for interleukin 2, 308
BOTTAZZO, G.F. *see* SCHEININ, T.
BOTTGER, E.C. *see* HOFFMAN, T.
BRAAKMAN, E., TREEP-VAN LEEUWEN, P., TEN BERG, R.J.M., SCHELLEKENS, P.TH.A. & LUCAS, C.J. Role of IL-2 and interferon in the generation of natural cytotoxic activity in influenza virus-stimulated PBL cultures: analysis with the use of prednisolone, 302
BRADLEY, J. *see* FORSYTH, K.
BRANDTZAEG, P. *see* BJERKE, K.
BRENNER, M.K. *see* DREXLER, H.G.
BRESSON-HADNI, S. *see* VUITTON, D.-A.
BRETT, S.J. & BUTLER, R. Interactions of *Mycobacterium lepraemurium* with resident peritoneal macrophages: phagocytosis and stimulation of the oxidative burst, 32
BRINCHMANN, J.E., VARDTAL, F., GAUDERNACK, G., MARKUSSEN, G., FUNDERUD, S., UGELSTAD, J. & THORSBY, E. Direct immunomagnetic quantification of lymphocyte subsets in blood, 182
BRITTON, W.J., HELLQVIST, L., GARSIA, R.J. & BASTEN, A. Antigens of *Mycobacterium leprae* identified by immunoprecipitation with sera from leprosy and tuberculosis patients, 394
BRODKIN, M. & NOBLE, B. Antibody-mediated proliferation tubule cells, 107
BROWN, S.E. *see* STEWARD, M.W.
BROWN, K.A. *see* LIMB, G.A.
BUCHAN, G., BARRETT, K., FUJITA, T., TANIGUCHI, T., MAINI, R. & FELDMANN, M. Detection of activated T cell products in the rheumatoid joint using cDNA probes to interleukin-2 (IL-2), IL-2 receptor and IFN-gamma, 295
BUKASA, K. *see* HOUSSIAU, F.A.
BURGIO, G.R. *see* MONTAGNA, D.
BURKE, D.S. *see* WARRELL, M.J.
BURMEISTER, G. *see* MALORNY, U.
BUTLER, R. *see* BRETT, S.J.
BUTTERWORTH, A.E., WILSON, A., RICHARDSON, B.A., HARRIS, J., GACHUHI, R.K., SENIOR, D. & COOMBS, R.R.A. Measurement of gamma-interferon in culture supernatants of antigen-stimulated lymphocytes from patients with *Schistosoma mansoni*, 241

CALVERT, J.E. *see* BIRD, P.
CANON, C. *see* LEVI, F.A.
CAPRON, A. *see* VUITTON, D.-A.
CAPRON, A. *see* LUTSCH
CAPRON, A. *see* TSICOPOULOS, A.
CESBRON, J.Y. *see* LUTSCH, C.
CHRISTOU, N. *see* RODE, H.N.
CONCEICAO-SILVA, F. *see* DOREA, R.C.C.
CONTRERAS, C.E., RIEBER, M.S., BIANCO, N. & RIEBER, M. Human repetitive and unique sequences coexist in a large circulating DNA species found in cryoprecipitates from SLE patients, 73
COOMBS, R.R.A. *see* BUTTERWORTH, A.E.
COPPEL, R. *see* FI-TJEN MU
COULOMB, B. *see* BAGOT, M.
COUSTAN-SMITH, E. *see* DREXLER, H.G.
COUTINHO, S.G. *see* DOREA, R.C.C.
CYSNE, L. *see* DOREA, R.C.C.

D'SOUZA, S.W. *see* TAYLOR, G.M.
DAGG, J.H. *see* WILKINSON, P.C.
DALGLEISH, A.G. *see* SPICKETT, G.P.
DANG, H., TAKEI, M., ISENBERG, D., SCHOENFELD, Y., BACKIMER, R., RAUCH, J. & TALAL, N. Expression of an interspecies idiotype in sera of SLE patients and their first-degree relatives, 445
DE LA CONCHA, E.G. *see* SUBIZA, J.L.
DEAN, B.M. *see* SCHEININ, T.
DELVES, P.J. & ROITT, I.M. Long term spectrotypic and idiotypic stability of thyroglobulin autoantibodies in patients with Hashimoto's thyroiditis, 459
DESSAINT, J.P. *see* LUTSCH, C.
DESSAINT, J.P. *see* TSICOPOULOS, A.
DIAZ, L.A. *see* KAWANA, S.
DIGHIERO, G. *see* VUILLIER, F.
DONNAI, D. *see* TAYLOR, G.M.
DOREA, R.C.C., COUTINHO, S.G., SABROZA, P.C., HENDRIKS, J., CYSNE, L. & CONCEICAO-SILVA, F. Quantification of *Leishmania*-specific T cells in human American cutaneous leishmaniasis (*Leishmania braziliensis*) by limiting dilution analysis, 26
DREXHAGE, M. *see* TAS, M.
DREXLER, H.G., GIGNAC, S.M., BRENNER, M.K., COUSTAN-SMITH, E., JANOSSY, G. & HOFFBRAND, A.V. Differential expression of MHC class II antigens in chronic B cell disorders, 217
DRUET, P. *see* PELLETIER, L.
DUBERTRET, L. *see* BAGOT, M.

DUMONDE, D.C. *see* LIMB, G.A.

EALES, L.-J., FARRANT, J., HELBERT, M. & PINCHING, A.J. Peripheral blood dendritic cells in persons with AIDS and AIDS related complex: loss of high intensity class II antigen expression and function, 423
EL-SHERIF, A.K. & BEFUS, D. Predominance of IgA deposits in glomeruli of *Schistosomiasis mansoni* infected mice, 39
ENESTROM, S. *see* HULTMAN, P.
EVANS, T.L. *see* WINKELSTEIN, A.

FARRANT, J. *see* EALES, L.-J.
FELDMANN, M. *see* BUCHAN, G.
FENNELL, J. *see* TAYLOR, G.M.
FERGUSSON, W.D. *see* TAYLOR, G.M.
FIGUEREDO, A. *see* SUBIZA, J.L.
FILON, L.G., SAGINUR, R. & SZCZERBAK, N. Humoral and cellular immune responses by normal individuals to hepatitis B surface antigen vaccination, 405
FI-TJEN MU, ALDERUCCIO, F., TOH, B-H., GERSHWIN, M.E., COPPEL, R. & MACKAY, I.R. Murine monoclonal antibody to mitochondria reacts with the 72 kD antigen of primary biliary cirrhosis, 100
FLAUSSE, F. *see* VUITTON, D.-A.
FORSYTH, K., KOH, L., LAWRENCE, A. & BRADLEY, J. Immunoglobulin profile of tracheal aspirate fluid in intubated children, 357
FUJITA, T. *see* BUCHAN, G.
FUNDERUD, S. *see* BRINCHMANN, J.E.
FURR, P.M. *see* WEBSTER, A.D.B.

GACHUHI, R.K. *see* BUTTERWORTH, A.E.
GARCIA, R. *see* GONZALEZ-AMARO, R.
GARSIA, R.J. *see* BRITTON, W.J.
GAUDERNACK, G. *see* BRINCHMANN, J.E.
GELPI, C., SANCHEZ, J.L.R. & HARDIN, J.A. Purification of hnRNP from HeLa cells with a monoclonal antibody and its application in ELISA: detection of autoantibodies, 281
GEMMELL, E. *see* SEYMOUR, G.J.
GEOGHEGAN, W.D. *see* KAWANA, S.
GERSHWIN, M.E. *see* FI-TJEN MU
GIGNAC, S.M. *see* DREXLER, H.G.
GOLBUS, J. *see* SALATA, M.
GONZALEZ-AMARO, R., SALAZAR-GONZALEZ, J.F., BARANDA, L., ABUD-MENDOZA, C., MONCADA, B., GARCIA, R., & ALCOCER-VARELA, J.: Evidence of cell-mediated immune contrasuppression in lepromatous leprosy: Modulation of a putative T contrasuppressor cell-subset by lymphokines, 399
GOODWIN, J.S. *see* SIERAKOWSKI, S.
GORDON, J. *see* RODE, H.N.
GOREVIC, P.D. *see* GRUBER, B.
GORICK, B.D. *see* WEBSTER, A.D.B.
GOUDSMIT, J. *see* TAS, M.
GREENWOOD, B.M. *see* RILEY, E.M.
GRUBER, B., BALLAN, D. & GOREVIC, P.D. IgE rheumatoid factors: quantification in synovial fluid and ability to induce synovial mast cell histamine release, 289
GUETTIER, C. *see* PELLETIER, L.

HADDING, U. *see* HOFFMAN, T.
HALLIDAY, W.J. *see* HARRIOTT-SMITH, T.G.
HAMZAOUI, A. KH., HAMZA, M. & TOURAINE, J.L. Natural killer cells in Behcet's disease, 126
HARATA, N. *see* MURYOI, T.
HARDIN, J.A. *see* GELPI, C.
HARRIOTT-SMITH, T.G. & HALLIDAY, W.J. Suppression of contact hypersensitivity by short-term ultraviolet irradiation: I. Immunosuppression by serum from irradiated mice, 144
HARRIS, J. *see* BUTTERWORTH, A.E.
HARRIS, R. *see* TAYLOR, G.M.
HEIKE, T. *see* MAYUMI, M.
HELBERT, M. *see* EALES, L.-J.
HELLQVIST, L. *see* BRITTON, W.J.
HENDRIKS, J. *see* DOREA, R.C.C.
HENRY, D. *see* LUTSCH, C.
HESLAN, M. *see* BAGOT, M.
HOFFBRAND, A.V. *see* DREXLER, H.G.
HOFFMAN, T., BOTTGER, E.C., BAUM, H.P., MESSNER, M., HADDING, U. & BITTER-SUERMANN, D. *In vivo* effects of C3a on neutrophils and its contribution to inflammatory lung processes in a guinea-pig model, 486
HOKE, C.H. *see* WARRELL, M.J.
HOLMDAHL, R. *see* SKOGLUND, C.
HORSFALL, A.C., MUMFORD, P.A., VENABLES, P.J.W. & MAINI, R.N. Anti-idiotypic induced suppression of Sjögren's syndrome associated anti-La autoantibody secretion *in vitro*, 62
HOUSSIAU, F.A., BUKASA, K., SINDIC, C.J.M., VAN DAMME, J. & VAN SNICK, J. Elevated levels of the 26K human hybridoma growth factor (interleukin 6) in cerebrospinal fluid of patients with acute infection of the central nervous system, 320
HOWARD, C.R. *see* STEWARD, M.W.
HUGHES-JONES, N.C. *see* WEBSTER, A.D.B.
HULTMAN, P. & ENESTROM, S. Mercury induced antinuclear antibodies in mice: characterization and correlation with renal immune complex deposits, 269
HUSSAIN, M.J. *see* MILLWARD, A.
HUUPPONEN, T. *see* RASANEN, L.
HYOTY, H. *see* RASANEN, L.

ILONEN, J. *see* SALONEN, R.
IMURA, H. *see* TSUBATA, T.
ISENBERG, D. *see* DANG, H.
ISLAM, L.N. *see* WILKINSON, P.C.
ISMAIL, M. *see* LUTSCH, C.
ISOJIMA, S. *see* KOMORI, S.
IZUI, I. & LANGE, G. Enzyme-linked immunosorbent assay for the detection of retroviral gp70 and gp70-anti-gp70 immune complexes in sera from SLE mice, 45.

JAMES, O.F.W. *see* BIRD, P.
JANOSSY, G. *see* DREXLER, H.G.
JEPSEN, S. *see* RILEY, E.M.
JONES, V.-E., PUTTICK, A.H., WILLIAMSON, E.A. & MAGEED, R.A. A new assay uses monoclonal anti-Rh(D) antibodies to determine rheumatoid factor specificity: reactivity to a monoclonal antibody of the Gm allotype G3m(21) is more frequent in rheumatoid patients negative for G3m(21), 451
JORDON, R.E. *see* KAWANA, S.
JOSEPH, M. *see* TSICOPOULOS, A.

KALLIONIEMI, O.P. *see* RASANEN, L.
KARJALAINEN, J. *see* RASANEN, L.
KATAMURA, K. *see* MAYUMI, M.
KATSURA, Y. *see* TSUBATA, T.
KAWABE, T. *see* MAYUMI, M.
KAWANA, S., DIAZ, L.A., RIVITTI, E.A., GEOGHEGAN, W.D. & JORDON, R.E. Complement fixation by Brazilian *Pemphigus foliaceous* autoantibodies, 464
KAWANO, K. *see* UNO, H.
KIM, K.-M. *see* MAYUMI, M.
KINGSLEY, L.A. *see* WINKELSTEIN, A.
KIRBY, J.A., READER, J.A., PARFETT, G.J. & PEPPER, P.R. Rat heterotopic heart transplantation: quantification and analysis of cell mediated cytotoxicity, 113
KLEIN, R.S. *see* WINKELSTEIN, A.
KNOP, J. *see* MALORNY, U.
KOH, L. *see* FORSYTH, K.
KOJIMA, A. *see* NAKAMURA, T.
KOMORI, S., YAMASAKI, N., SHIGETA, M., ISOJIMA, S. & WATANABE, T. Production of heavy-chain class-switch variants of human monoclonal antibody by recombinant DNA technology, 508
KONTIAINEN, S. *see* SCHEININ, T.
KOSKIMIES. S. *see* SCHEININ, T.
KUBOTA, A. *see* NAKAMURA, T.
KUMAGAI, S. *see* TSUBATA, T.

LANGE, G. *see* IZUI, I.
LAPRESLE, C. *see* VUILLIER, F.
LAWRENCE, A. *see* FORSYTH, K.
LEHTO, M. *see* RASANEN, L.

LEINIKKI, P. *see* RASANEN, L.
LENYS, D. *see* VUITTON, D.-A.
LESIE, R.D.G. *see* MILLWARD, A.
LEVI, F.A., CANON, C., TOUITOU, Y., SULON, J., MECHKOURI, M., DEMEY PONSART, E., TOUBOUL, J.P., VANNETZEL, J.M., MOWZOWICZ, I., REINBERG, A. & MATHE, G. Circadian rhythms in circulating T lymphocyte subtypes and plasma testosterone, 329
LIANCE, M. *see* VUITTON, D.-A.
LIMB, G.A., BROWN, K.A., WOLSTENCROFT, R.A. & DUMONDE, D.C. Shedding and synthesis *de novo* of Fc and C3b receptors by cultured guinea-pig macrophages, 362
LING, N.R. *see* BIRD, P.
LITWIN, S. *see* MIZUMA, H.
LOOAREESUWAN, S. *see* WARRELL, M.J.
LORBER, M., SAMUEL, D., AMLOT, P. & PANAYI, G.S. The stimulation of IgM rheumatoid factor from human B lymphocytes by rheumatoid arthritis complement-activating immune complexes, 275
LUCAS, C.J. *see* BRAAKMAN, E.
LUGER, T. *see* VOLC-PLATZER, B.
LUTSCH, C., CESBRON, J.Y., HENRY, D., DESSAINT, J.P., WANDJI, K., ISMAIL, M. & CAPRON, A. Lymphatic filariasis: detection of circulating and urinary antigen and differences in antibody isotypes complexed with circulating antigen between symptomatic and asymptomatic subjects, 253
LYTER, D.W. *see* WINKELSTEIN, A.

MACCARIO, R. *see* MONTANA, D.
MACHEN, L.L. *see* WINKELSTEIN, A.
MACKAY, I.R. *see* FI-TJEN MU
MACKWORTH-YOUNG, C.G. & SCHWARTZ, R.S. An idiotope-specific autoantibody in SLE, 56
MACPHEE, M. *see* RODE, H.N.
MAENKPAA, J. *see* SCHEININ, T.
MAGEED, R.A. *see* JONES, V.E.
MAINI, R.N. *see* HORSFALL, A.C.
MAINI, R. *see* BUCHAN, G.
MALORNY, U., KNOP, J., BURMEISTER, G. & SORG, C. Immunohistochemical demonstration of migration inhibitory factor (MIF) in experimental allergic contact dermatitis, 164
MANATSATHIT, S. *see* WARRELL, M.J.
MANDET, C. *see* PELLETIER, L.
MARKUSSEN, G. *see* BRINCHMANN, J.E.
MATEOS, P. *see* SUBIZA, J.L.
MATHE, G. *see* LEVI, F.A.
MATSUOKA, H. *see* UNO, H.
MATSUYAMA, M. *see* NAKAMURA, T.
MAYUMI, M., KAWABE, T., KIM, K.-M., HEIKE, T., KATAMURA, K., YODOI, J. & MIKAWA, H. Regulation of Fce receptor expression on a human monoblast cell line U937, 202
MEAKINS, J.L. *see* RODE, H.N.
MECHKOURI, M. *see* LEVI, F.A.
MESSNER, M. *see* HOFFMAN, T.
MIGUET, J.P. *see* VUITTON, D.-A.
MIKAWA, H. *see* MAYUMI, M.
MILLWARD, A., HUSSAIN, M.J., PEAKMAN, M., PYKE, D.A., LESIE, R.D.G. & VERGANI, D. Characterization of islet cell antibody in insulin dependent diabetes: evidence for IgG1 subclass restriction and polyclonality, 353
MINGRAT, G. *see* MONTAGNA, D.
MITCHISON, H. *see* BIRD, P.
MIZUMA, H., LITWIN, S. & ZOLLER-PAZNER, S. B cell activation in HIV infection: relationship of spontaneous immunoglobulin secretion to various immunological parameters, 410
MONCADA, B. *see* GONZALEZ-AMARO, R.
MONTAGNA, D., MACCARIO, R., UGAZIO, A.G., MINGRAT, G. & BURGIO, G.R. Natural cytotoxicity in the neonate: high levels of lymphokine activated killer (LAK) activity, 177
MOWZOWICZ, I. *see* LEVI, F.A.
MUMFORD, PA. *see* HORSFALL, A.C.
MUNSTER, A.M. *see* BENDER, B.S.
MURYOI, T., SASAKI, T., HARATA, N., TAKAI, O., TAMATE, E. & YOSHINAGA, K. Heterogeneity of anti-idiotypic antibodies to anti-DNA antibodies in humans, 67

NAKAMURA, T., MATSUYAMA, M., KOJIMA, A., OGIU, T., KUBOTA, A., SUZUKI, Y., ARAKAWA, M. & SHIMIZU, F. The effect of thymectomy on the development of nephropathy in spontaneous thymoma rats of the BUF/Mna strain, 350
NG, Y.C., SCHIFFERLI, J.A. & WALPORT, M.J. Immune complexes and erythrocyte CR1 numbers on binding and release reactions, 481
NISHIKAWA, S. *see* TSUBATA, T.
NOCHY, D. *see* PELLETIER, L.

ODUGBESAN, O. *see* BATARSEH, H.
OGIU, T. *see* NAKAMURA, T.
ORME, I.M. The immune response to the cell wall of *Mycobacterium bovis* BCG, 388
OTOO, L.N. *see* REILY, E.M.

PANAYI, G.S. *see* LORBER, M.
PARFITT, G.J. *see* KIRBY, J.A.
PASQUIER, R. *see* PELLETIER, L.
PEAKMAN, M. *see* MILLWARD, A.
PELLETIER, L., PASQUIER, R., GUETTIER, C., VIAL, M.-C., MANDET, C., NOCHY, D., BAZIN, H. & DRUET, P. $HgCl_2$ induces T and B cells to proliferate and differentiate in BN rats, 336
PEPPER, P.R. *see* KIRBY, J.A.
PHUAPRADIT, P. *see* WARRELL, M.J.
PINCHING, A.J. *see* EALES, L.-J.
PISETSKY, D.S. Inhibition of *in vitro* NZB antibody responses by cyclosporine, 155
PONSART, E.D. *see* LEVI, F.A.
POWELL, E.N. *see* SEYMOUR, G.J.
PROUST, J.J. *see* BENDER, B.S.
PUTTICK, A.H. *see* JONES, V.E.
PUYANA, J.C. *see* RODE, H.N.
PYKE, D.A. *see* MILLWARD, A.

RABILLOUD, R. *see* BERNIER-VALENTIN, F.
RADASZKIEWICZ, T. *see* VOLC-PLATZER, B.
RAMON, P.H. *see* TSICOPOULOS, A.
RANDALL, W.R. *see* WEETMAN, A.P.
RASANEN, L., HYOTY, H., LEHTO, M., KALLIONIEMI, O.P., ANTONEN, J., HUUPPONEN, T., KARJALAINEN, J., LEINIKKI, P.I. Defective autologous mixed leukocyte reaction in newly diagnosed type I diabetes mellitus, 470
RAUCH, J. *see* DANG, H.
READER, J.A. *see* KIRBY, J.A.
REINBERG, A. *see* LEVI, F.A.
RICHARDSON, B.A. *see* BUTTERWORTH, A.E.
RICHARDSON, B.C. *see* SALATA, M.
RIEBER, M.S. *see* CONTRERAS, C.E.
RILEY, E.M., JEPSEN, S., ANDERSSON, G., OTOO, L.N. & GREENWOOD, B.M. Cell-mediated immune responses to *Plasmodium falciparum* antigens in adult Gambians, 377
RINALDO JR, C.R. *see* WINKELSTEIN, A.
RIVITTI, E.A. *see* KAWANA, S.
RODE, H.N., PUYANA, J.C., MACPHEE, M., MEAKINS, J.L., CHRISTOU, N. & GORDON, J. Role of cytokinins in the restoration of the delayed-type hypersensitivity reaction in anergic patients, 159
RODRIGUEZ, C. *see* SUBIZA, J.L.
ROITT, I.M. *see* DELVES, P.J.
ROUSSET, B. *see* BERNIER-VALENTIN, F.

SABROZA, P.C. *see* DOREA, R.C.C.
SAGINUR, R. *see* FILION, L.G.
SAKANE, T. *see* SUZUKI, N.
SALATA, M., GOLBUS, J. & RICHARDSON, B.C. Diminished response to an inhibitory signal in lymphocytes from patients with systemic lupus erythematosus, 439
SALAZAR-GONZALEZ, J.F. *see* GONZALEZ-AMARO, R.
SALMI, A. *see* SALONEN, R.
SALMON, M. & BACON, P.A. A cellular deficiency in the rheumatoid one-way mixed lymphocyte reaction, 79
SALONEN, R., ILONEN, J. & SALMI, A. Measles virus infection of unstimulated blood mononuclear cells *in vitro*: antigen expression and virus production preferentially in monocytes, 224
SAMUEL, D. *see* LORBER, M.

SANCHEZ, J.L.R. *see* GELPI, C.
SASAKI, T. *see* MURYOI, T.
SCHADLE, R.C. *see* WINKELSTEIN, A.
SCHEININ, T., MÄENKPÄÄ, J. KOSKIMIES, S., DEAN, B.M., BOTTAZZO, G.F. & KONTIAINEN, S. Insulin response and lymphocyte subclasses in children with newly diagnosed insulin-dependent diabetes, 91
SCHELLEKENS, P.TH.A. *see* BRAAKMAN, E.
SCHELLEKENS, P.TH.A. *see* BLOEMENA, E.
SCHEYNIUS, A. *see* SKOGLUND, C.
SCHIFFERLI, J.A. *see* NG, Y.C.
SCHWARTZ, R.S. *see* MACKWORTH-YOUNG, C.G.
SENIOR, D. *see* BUTTERWORTH, A.E.
SEYMOUR, G.J., GEMMELL, E., WALSH, L.J. & POWELL, R.N. Immunohistological analysis of experimental gingivitis in humans, 132
SHIGETA, M. *see* KOMORI, S.
SHIMIZU, F. *see* NAKAMURA, T.
SHOENFELD, Y. *see* DANG, H.
SIERAKOWSKI, S. & GOODWIN, J.S. Mechanism of action of glucocorticoid-induced immunoglobulin production: II. Requirement for fetal calf serum, 198
SINCLAIR, D. *see* WILKINSON, P.C.
SINDIC, C.J.M. *see* HOUSSIAU, F.A.
SISLEY, B.M. *see* STEWARD, M.W.
SKOGLUND, C., SCHEYNIUS, A., HOLMDAHL, R. & VAN DER MEIDE, P.H. Enhancement of DTH reaction and inhibition of the expression of class II transplantation antigens by *in vivo* treatment with antibodies against gamma interferon, 428
SORG, C. *see* MALORNY, U.
SPICKETT, G.P. & DALGLEISH, A.G. Review: Cellular immunology of HIV-infection, 1
STANLEY, C. *see* STEWARD, M.W.
STEMBERGER, H. *see* VOLC-PLATZER, B.
STEWARD, M.W., SISLEY, B.M., STANLEY, C., BROWN, S.E. & HOWARD, C.R. Immunity to hepatitis B: analysis of antibody and cellular responses in recipients of a plasma-derived vaccine using synthetic peptides mimicking S and pre-S regions, 19
SUBIZA, J.L., RODRIGUEZ, C., FIGUEREDO, A., MATEOS, P., ALVAREZ, R. & DE LA CONCHA, E.G. Impaired production and lack of secretion of interleukin 1 by human breast milk macrophages, 493
SULON, J. *see* LEVI, F.A.
SUZUKI, N. & SAKANE, T. Mechanism of T cell-derived helper factor production upon stimulation with pokeweed mitogen in humans, 343
SUZUKI, Y. *see* NAKAMURA, T.
SZCZERBAK, N. *see* FILION, L.G.

TAKAI, O. *see* MURYOI, T.
TAKEI, M. *see* DANG, H.
TALAL, N. *see* DANG, H.
TAMATE, E. *see* MURYOI, T.
TANIGUCHI, T. *see* BUCHAN, G.
TAS, M., DREXHAGE, H.A. & GOUDSMIT, J. A monocyte chemotaxis inhibiting factor in serum of HIV infected men shares epitopes with the HIV transmembrane protein gp14, 13
TAYLOR, G.M., WILLIAMS, A., D'SOUZA, S.W., FERGUSSON W.D., DONNAI, D., FENNELL, J. & HARRIS, R. The expression of CD18 is increased on Trisomy 21 (Down syndrome) lymphoblastoid cells, 324
TAYLOR-ROBINSON, D. *see* WEBSTER, A.D.B.
TEN BERG, R.J.M. *see* BRAAKMAN, E.
THOMPSON, R.A. *see* BATARSEH, H.
THOMPSON, A.W. *see* WEBSTER, L.M.
THOMPSON, A.W. & WEBSTER, L.M. Review: The influences of cyclosporin A on cell-mediated immunity, 369
THORSBY, E. *see* BRINCHMANN, J.E.
THUPARI, J.N. *see* BENDER, B.S.
TONNEL, A.B. *see* TSICOPOULOS, A.
TOTTERMAN, T.H., CARLSSON, M. & NILSSON, K. Induction of IgM secretion by chronic B-lymphocyte leukaemia cells in serum-free medium: effects of interferon-α and -γ and phorbol ester, 187
TOUBOUL, J.P. *see* LEVI, F.A.
TOUITOU, Y. *see* LEVI, F.A.
TREEP-VAN LEEUWEN, P. *see* BRAAKMAN, E.
TSE, C.K. *see* WEETMAN, A.P.
TSICOPOULOS, A., TONNEL, A.B., WALLAERT, B., JOSEPH, M., AMEISEN, J.C., RAMON, PH., DESSAINT, J.P. & CAPRON, A. Decrease of IgE-dependent platelet activation in Hymenoptera hypersensitivity after specific rush desensitization, 433
TSIM, K.W.K. *see* WEETMAN, A.P.
TSUBATA, T., NISHIKAWA, S., KATSURA, Y., KUMAGAI, S. & IMURA, H. B cell repertoire for anti-DNA antibody in normal and lupus mice: differential expression of precursor cells for high and low affinity anti-DNA antibodies, 50
TSUDA, K. *see* UNO, H.

UGAZIO, A.G. *see* MONTAGNA, D.
UGELSTAD, J. *see* BRINCHMANN, J.E.
UNO, H., KAWANO, K., MATSUOKA, H. & TSUDA, K. HLA and adult T cell leukaemia: HLA-linked genes controlling susceptibility to human T cell leukaemia virus type I, 211

VAN DAMME, J. *see* HOUSSIAU, F.A.
VAN DER HEYDEN, A.A.P.A.M. *see* VAN OERS, M.H.J.
VAN DER MEIDE, P.H. *see* SKOGLUND, C.
VAN OERS, M.H.J. *see* BLOEMENA, E.
VAN OERS, M.H.J., VAN DER HEYDEN, A.A.P.A.M. & AARDEN, L.A. Interleukin 6 (IL-6) in serum and urine of renal transplant recipients
VAN SNICK, J. *see* HOUSSIAU, F.A.
VANNETZEL, J.M. *see* LEVI, F.A.
VARDTAL, F. *see* BRINCHMANN, J.E.
VEJJAJIVA, A. *see* WARRELL, M.J.
VENABLES, P.J.W. *see* HORSFALL, A.C.
VERGANI, D. *see* MILLWARD, A.
VIAL, M.-C. *see* PELLETIER, L.
VOLC-PLATZER, B., STEMBERGER, H., LUGER, T., RADASZKIEWICZ, T., & WEIDERMANN, G. Defective intralesional interferon-gamma activity in patients with lepromatous leprosy, 235
VUILLIER, F., LAPRESLE, C. & DIGHIERO, G. Comparative analysis of CD4-4B4 lymphocyte subpopulations in HIV negative homosexual, HIV seropositive and healthy subjects, 8
VUITTON, D.-A., BRESSON-HADNI, S., LENYS, D., FLAUSSE, F., LIANCE, M., WATTRE, P., MIGUET, J.P. & CAPRON, A. IgE-dependent humoral immune response in *Echinococcus multilocularis* infection: circulating and basophil-bound specific IgE against *Echinococcus* antigens in patients with alveolar echinococcosis, 247

WALKER, L.A., JOHNSON, G.D. & MACLENNA, I.C.M., Selective induction of light chain synthesis in cultures of blood lymphocytes from patients with IgG myelomatosis, 193
WALLAERT, B. *see* TSICOPOULOS, A.
WALPORT, M.J. *see* NG, Y.C.
WALSH, L.J. *see* SEYMOUR, G.J.
WANDJI, K. *see* LUTSCH, C.
WARRELL, M.J., LOOAREESUWAN, S., MANATSATHIT, S., WHITE, N.J., PHUAPRADIT, P., VEJJAJIVA, A., HOKE, C.H., BURKE, D.S. & WARRELL, D.A. Rapid diagnosis of rabies adn post-vaccinal encephalitides, 229
WARRELL, D.A. *see* WARRELL, M.J.
WATANABE, T. *see* KOMORI, S.
WATTRE, P. *see* VUITTON, D.-A.
WEAVER, L.D. *see* WINKELSTEIN, A.
WEBSTER, L.M. *see* THOMPSON, A.W. Augmentation of delayed-type hypersensitivity to high dose sheep erythrocytes by cyclosporin A in the mouse: influence of drug dosage and route of adminstration and analysis of spleen cells, 149
WEBSTER, L.M. *see* THOMPSON, A.W.
WEBSTER, A.D.B., FURR, P.M., HUGHES-JONES, N.C., GORICK, B.D. & TAYLOR-ROBINSON, D. Critical dependence on antibody for defence against mycoplasmas, 383
WEETMAN, A.P., TSE, C.K., RANDALL, W.R., TSIM, K.W.K. & BARNARD, E.A. Acetylcholinesterase antibodies and thyroid autoimmunity, 96
WEIDERMANN, G. *see* VOLC-PLATZER, B.
WEINREICH, S. *see* BLOEMENA, E.
WHITE, N.J. *see* WARRELL, M.J.
WILKINSON, P.C., ISLAM, L.N., SINCLAIR, D. & DAGG, J.H. The defect of lymphocyte locomotion in chronic lymphocytic leukaemia: studies of polarization and growth-dependent locomotion, 497
WILLIAMS, A. *see* TAYLOR, G.M.
WILLIAMSON, E.A. *see* JONES, V.E.

WILSON, A. *see* BUTTERWORTH, A.E.
WINCHURCH, R.A. *see* BENDER, B.S.
WINKELSTEIN, A., KINGSLEY, L.A., KLEIN, R.S., LYTER, D.W., EVANS, T.L., RINALDO JR, C.R., WEAVER, L.D., MACHEN, L.L. & SCHADLE, R.C. Defective T cell colony formation and IL-2 receptor expression at all stages of HIV infection, 417
WOLSTENCROFT, R.A. *see* LIMB, G.A.
YAMASAKI, N. *see* KOMORI, S.
YANCEY, K.B. Review: Biological properties of human C5a: selected *in vitro* and *in vivo* studies, 207
YODOI, J. *see* MAYUMI, M.
YOSHINAGA, K. *see* MURYOI, T.

ZOLLER-PAZNER, S. *see* MIZUMA, H.

Subject Index

Acetylcholinesterase, 96
Activation markers, 91
Affinity, 50
AIDS, 1, 13, 410, 423
AIDS HIV infection, 417
Anaphylatoxic peptides, 486
Anaphylatoxins, 207
Anergy, 159
Anti-DNA repertoire, 50
Anti-idiotype, 62
Antibodies, 149
  anti DNA, 56, 67, 73
  anti-idiotypic, 67
  antinuclear, 269
  anti-sperm, 508
  brush border, 107
  CSF, 229
  insulin receptor, 85
  islet cell, 353
  monoclonal, 164
  monoclonal, 281, 428, 508
Anti-CD3, 171
Antigens, circulating and immune complexes, 253
Antigens, class II, 423, 428
  HLA, 343
  T cell differentiation, 343
Auto-anti-idiotype, 56
Autoantibodies, 96, 155, 281, 445
  anti-tubulin, 261
  human, 62
Autoantigen, mitochondria, 100
Autoimmunity, 155, 261, 459
Autologous mixed lymphocyte reaction, 470

B-CLL, 217
B-PLL, 217
Basophil degranulation, 247
B cell differentiation, 187
  mitogens, 193
BCG, 394
  cell wall, 388
Behcet's disease, 126
Bodyfluids, 314
Burn, 120

C3b receptors, 362
C5a, 207
CD18, 324
CD4 subsets, 8
Cells, adult T leukaemia (ATL), 211
  B cells 155, 439
  cytotoxic T, 113
  dendritic, 423
  human T, 211
  Langerhans, 138
  M cells, 502
  natural killer, 120, 128
  peripheral blood mononuclear, 224
  prereceptor B, 50
  sheep red blood, 149
  synovial mast, 289
  T cells, 26, 369
  T malignant lymphoma, 211
Cellular interactions, 343
Cellular responses, 405
Central nervous system, 320
Child, 357
Chronic lymphocytic leukaemia, 187
Chronic serum sickness, 107
Circadian rhythms, 329
Class-switch, 508
CLL, 187
Complement, 207, 383, 464
Contact dermatitis, 164
Corticosteroids, 198
Cyclosporin A, 149, 308, 369
Cyclosporine, 155
Cytokine, 159, 369

Delayed-type hypersensitivity, 149, 155
Desensitization, 433
Diabetes mellitus, 470
DNA, 73
Down's syndrome, 324
DTH, 388
DTH-reaction, 428

Echinococcus multilocularis, 247
Effect of treatment, 247
ELISA, 281
Endotoxin, 120
Environmental selections, 50
Erythrocyte CR1, 481
Experimental gingivitis, 132

Fc receptors, 362
FcE receptor, 202
Filariasis, 253
Frequency analysis, 113

Gamma, 235
Genetic predisposition, 445
Glomerulonephritis, 269
Glomerulosclerosis focal and segmental, 350
gp41, 13
Grave's disease, 96
Guinea-pigs, 486

HBsAg, 405
Heavy chain, 508
Hepatitis B, 19
Heymann nephritis, 107
High-affinity interleukin 2 receptor, 308
High thymoma strain, 350
HIV seropositive, 8
HLA, 91, 211
HLA-DP, 217
HLA-DQ, 217
HLA-DR, 217, 235, 502
hnRNP, 281
Hodgkin's Disease, 275
Hormonal regulation, 329
Human alveolar echinococcosis, 247
Human cutaneous leishmaniasis, 26
Human milk macrophages, 493
Humoral responses, 405
Hybridoma growth factor, 320
Hymenoptera venom, 433
Hyperglobulinaemia, 410
Hypersensitivity, 433

ICA, 91
Idiotype, 56, 445, 459

IFN, 302
IgD, 410
IgE, 247, 336
  rheumatoid factor, 289
IgG subclasses, 353, 475
Il-2, 120
Immune complexes, 261, 275, 481
Immune contrasuppression, 399
Immune deficiency, 383
Immunity, 369
Immunoglobulins, 357
  allotypes, 451
  production, 198
Immunohistology, 132
Immunology, 1
Immunomagnetic quantification, 182
Immunopotentiation, 149
Immunoprecipitation, 394
Immunoregulation, 62
Immunosuppression, 13, 144
Infection, 320
Inhibitory signal, 439
Immune complex nephritis, 107
Insulin responses, 91
Interferon, 202, 235
Interferon-α, 187
Interferon-γ, 187, 241, 377, 428
Interleukin 1, 171, 493
Interleukin 2, 171, 302, 470
  responsiveness, 308
Interleukin 6, 308, 320
Intestinal immunity, 502

Leishmania braziliensis braziliensis, 26
Lepromatous leprosy, 235
Leprosy, 394, 399
Limiting dilution, 113
Limiting dilution analysis, 26
Living skin equivalent, 138
Lymphoblastoid cell lines, 324
Lymphocytes, 1, 149, 325
  activation, 79, 369
  chronic leukaemia, 497
  cord blood, 177
  culture, 198
  cytotoxic T, 302
  human B, 275
  locomotion, 497
  proliferation, 275, 377
  subsets, 182
  supernatants, 241
  T, 79
Lymphoid organs, 336
Lymphokine, 159, 399

Macrophages, 32, 164, 362
Malaria, 377
Man, 329
Meningitis, 320
Mercuric chloride, 336
Mercury, 269
MHC class II, 217
Mice, 149, 164, 269
  NZB/W FI, 50
Migration inhibitory factor, 164
MLR, 171, 423
Monocytes, 224
  chemotaxis, 13
Mycobacterium leprae, 394
Mycobacterium lepraemurium, 32
Mycoplasmas, 383
Myelomatosis, 193

Natural cytotoxic activity, 302
Natural cytotoxicity, 177
Neonatal thymectomy, 350
Neonate, 357
Newly diagnosed IDDM, 91
NK cell subsets, 177

Opsonisation, 32
Oxidative burst, 32

p15E, 13
Pathology, 1
Pemphigus foliaceus, 464
Pemphigus vulgaris, 464
Peyer's patches, 502
Phagocytes, 383
Phagocytosis, 32
Phorbol ester, 202
Plasmodium falciparum, 377
Platelet, 433
Pokeweed mitogen, 343
Polyclonal activation, 336
Polyclonal B cell activation, 410
Polymyxin B, 120
Post-vaccinal encephalitis, 229
Prednisolone, 302, 308
Primary biliary cirrhosis, 100, 475
Protective immunity, 388
Protein 26 kD, 320
Proximal tubules, 107
Pulmonary, 357

Rabies diagnosis, 229
Radioimmunoassay, 253
Rat, 336
Recombinant DNA technology, 508
Renal transplant recipients, 314
Reverse passive haemagglutination, 241
Rheumatoid arthritis, 79, 275, 451
Rheumatoid factor, 275, 451

Secretory component, 502
Sera, 394
Serum-free medium, 187
Shocklung, 486
Sjögren's syndrome, 62
SLE, 155, 445
Spectrotype, 459
Sperm immobilization, 508
Spleen, 149
Suppressor factors, 144
Synovial fluid IgERF rheumatoid arthritis, 289
Synthetic peptides, 19
Systemic lupus erythematosus, 56, 67, 73, 439

T cells
  blasts, 171
  colonies, 417
  derived helper factors, 343
  function, 417
Thyroglobulin, 96, 459
Thyroiditis, 459
T lymphocytes, 399
TPA, 187
Transferrin receptors, 79
Transplantation, 113
Trisomy 21, 324
T subsets, 91
Tuberculosis, 394
Type 1, 470

U937, 202
Ultraviolet radiation, 144

Vaccination, 405

Vaccines, 19
Virus
  human immunodeficiency, 1
  influenza, 302
  inhibition assay, 241
  leukaemia type I (HTLV-I), 211
  measles, 224